

# WaterLink SpinTouch DW

Every now and then a technology emerges that changes people's lives. For people who test water, that time is now.


## **Available Tests**

See back page for details

Free Chlorine
Total Chlorine
Combined Chlorine
pH
Total Hardness
Total Alkalinity
Total Iron
Ferric Iron
Ferrous Iron
Copper
Nitrate
Nitrite

The innovative WaterLink® Spin Touch® DW photometer does all your drinking water testing for you. Each sealed reagent disk contains the precise amount of reagent needed to run a complete series of tests. Just fill one unique Spin reagent disk with less than 3 mL of water and all your vital tests are done automatically—in just 1 to 2 minutes!

It's the most advanced system for precise use of wet chemistry methods ever produced. Now analysts can achieve precision without time consuming test and clean-up procedures. This ground-breaking analysis system is so simple anyone can use it! No vials to fill, no prep time, no quessing!



So Simple! So Fast! So Precise!

Proven analytical chemistry creates the breakthrough WaterLink® Spin Touch®



## The Device Precise analysis of 8 parameters in 2 minutes or less!









- Virtually Eliminates User-Error
- Pre-Measured Reagents
- Exact Reaction Times and Auto-Blanking
- Meter Calibration Check System
- New 6-Wavelength Photometer

#### Super Fast & Simple

- 1 Minute for Treated Water Disk and 2 Minutes for Well Water Disk
- Fill Disk and Insert > Select "Start Test" > Read Results

#### **Data Logging**

Stores Test Dates, Times, Results, Location

#### Stand-Alone

- No Computer, Smartphone, or Tablet Needed
- Touchscreen Operation
- Communicate through Bluetooth® or USB

#### Rugged and Portable

- Innovative Water-Resistant Housing
- Internal, Rechargeable Batteries

Bluetooth® is a registered trademark of Bluetooth® SIG, Inc.

Instrument Type:	Centrifugal Fluidics Photometer
6 Wavelengths:	390 nm, 428 nm, 470 nm, 525 nm, 568 nm, 635 nm

Display: Color Capacitive Touchscreen, 3.5", 320 X 240 pixel resolution

**Batteries:** Lithium Ion, Rechargeable (Full Charge in 10 hours), 150 tests per charge

Communication: Bluetooth, USB-C

Calibration: Factory Set, Field Calibration via Internet Connection

Data Storage: Last 250 Test Results with Date.

Time, Location

Water Rubber Over-molded Base, Rubber Resistance: USB Port Pluq, Gasketed Display

and Hinge

Size & Weight: 8.5 L x 4.9 W x 4.1 H inches, 1.74 lb;  $2.6 L \times 12.7 W \times 11.4 H cm$ , 0.79 kg

Operation: Single On/Off/Reset Button with Indicator Light, Touchscreen

Firmware: Internet updateable (New Test, New

Test Calibrations, etc.), requires USB connection to Windows® PC

Printer: Optional Bluetooth Printer

(Code 5-0066); 384 dots per line at

8 dots/mm resolution

# The Complete Lab

### WaterLink® Spin Touch® DW

Code 3585

Includes: Photometer, Instruction Manual. Quick-Start Instructions, 3 Syringes, Meter Check Disk, Disk Cover, Sample Bottle, USB Cord with USB Wall Adapter, Carrying Case (Disks sold separately)



Certification:

## The Reagent Disks for Water Conditioning & Filtration



Treated Water		
Series DW13		
Code 4336-H	50 pack	
Free Chlorine	0-15 ppm	
Total Chlorine	0-15 ppm	
Combined Chlorine	0-15 ppm	
pН	6.4-10.0 pH	
Total Hardness	0-70 gpg,	
	0-1200 ppm	
Total Iron	0-6 ppm	
Copper	0-6 ppm	
Total Alkalinity	0-250 ppm	

Well Water		
Series DW21		
Code 4337-H	50 pack	
рН	4.5-8.6 pH	
Total Hardness	0-70 gpg,	
	0-1,200 ppm	
Total Iron	0-6 ppm	
Ferric Iron	0-6 ppm	
Ferrous Iron	0-6 ppm	
Copper	0-6 ppm	
Nitrate (NO <sub>3</sub> )	0-45 ppm	
Nitrite (NO <sub>2</sub> )	0-2 ppm	
Total Alkalinity	0-250 ppm	

Our disks are manufactured right in our plant, assuring the highest quality control standards.

## The Optional Software



This versatile and robust cloud-based water analysis solution stores all your records, boasts customizable treatment profiles and reports, and can be accessed from an internet connected computer or supported mobile device via the app. Create a free account at softwarecenter.lamotte.com.



Control and collect results from your meter to store locally on your computer.

Every test result is retained by date/time and can even be noted as to the location from which the result was taken. Download it for free at softwarecenter.lamotte.com





802 Washington Ave | Chestertown, Maryland 21620 USA Tel: 800.344.3100 or +1 410.778.3100 Email: info@lamotte.com waterlinkspintouch.com | lamotte.com