



## HOBO<sup>®</sup> MX100 Data Logger

### Temperature

A low-cost, splash-proof, Bluetooth-enabled data logger that measures and transmits temperature data wirelessly to mobile devices or Windows computers.

Ideal for a range of indoor monitoring applications, this self-contained wireless data logger lets you configure it and access temperature data at any time when within 100 feet of the logger, with no dedicated equipment beyond a mobile device or Windows computer running the HOBObconnect app.


Onset's free HOBObconnect app makes it fast and easy to view temperature graphs, check the operational status of MX100 loggers, configure alarm notifications, and share data files.



#### Key Advantages:

- Set up and offload loggers wirelessly from your mobile device or Windows computer
- Exceptional value for the convenience of a Bluetooth communication logger
- Splash-proof design enables use in damp environments and spray-down applications
- Easy to deploy, offload, and share temperature data using the HOBObconnect app
- Visual alarms on the logger display and mobile app keep you notified of problems
- Set up and start monitoring in minutes!

## HOBO MX100 Data Logger Specifications

Temperature Sensor	
Range	-30° to 70°C (-22° to 158°F)
Accuracy	±1.0°C from -30° to -5°C (±1.8°F from -22° to 23°F) ±0.5°C from -5° to 50°C (±0.9°F from 23° to 122°F) ±1.0°C from 50° to 70°C (±1.8°F from 122° to 158°F)
Resolution	0.04°C (0.072°F)
Response Time	6 minutes typical to 90% in open air moving 1 m/s, unmounted
Logger	
Logger Operating Range	-30° to 70°C (-22° to 158°F)
Radio Power	1 mW (0 dBm)
Transmission Range	Approximately 30.5 m line-of-sight (Approximately 100 ft line-of-sight)
Wireless Data Standard	Bluetooth Low Energy (Bluetooth Smart)
Logging Rate	1 second to 18 hours
Battery	CR2450 3V lithium, not replaceable
Battery Life	1 year, typical with logging interval of 1 minute and Bluetooth Always On enabled; 2 years, typical with logging interval of 1 minute and Bluetooth Always On disabled. Faster logging intervals, remaining connected with the app, excessive downloads, and paging may impact battery life.
Memory	30,000 measurements
Full Memory Download Time	Approximately 30 seconds; may take longer the farther the device is from the logger
Dimensions	6.9 x 4.5 x 1.1 cm (2.71 x 1.76 x 0.42 inches)
Weight	25.5 g (0.90 oz)
Environmental Rating	IP67
Compliance Marks	

Passed RTCA DO160G, part 21H

## Contact Us

Sales (8am to 5pm ET, Monday through Friday)

- ▶ Email [sales@onsetcomp.com](mailto:sales@onsetcomp.com)
- ▶ Call 1-508-759-9500
- ▶ In U.S. toll free 1-800-564-4377
- ▶ Fax 1-508-759-9100

Technical Support (8am to 6pm ET, Monday through Friday)

- ▶ Contact Product Support [www.onsetcomp.com/support/contact](http://www.onsetcomp.com/support/contact)
- ▶ Call 1-508-759-9500
- ▶ In U.S. toll free 1-877-564-4377

Onset Computer Corporation  
470 MacArthur Boulevard  
Bourne, MA 02532