








SonTek Instrumentation Accessories List

Need replacement parts or accessories for your SonTek gear? Use this handy color-coded checklist to help get you started! Find quick access to part-numbers and cost-per-item.













Once you have identified what you need, you can place your order via one of our friendly Customer Support Specialists at sontek.orders@xylem.com. Or, call +1.858.546.8327, option 3.

<p>ADP SPARE PARTS</p>  	<p>ADP 19-0024 \$80 Power supply, 24VDC, 60 Watt, ADP/ADV</p> 	<p>ADP 2885-00103 \$10 Power cord (U.S.)</p> 
<p>ADP 2885-00125 \$35 Power cord kit (International)</p> 	<p>ADP 36-0013-010 \$950 10-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub</p> 	<p>ADP 36-0050-002 \$1,010 Splitter cable, to connect ADP with external battery case (standard, 2-m length)</p> 

<p>ADP 6048-08100 \$130 Connector, 8-pin male wet pluggable dummy plug (DC-8-MP)</p> 	<p>ADP 6048-95000 \$30 Locking Sleeve for standard wet-pluggable connectors, male</p> 	<p>ADP 6052-00033 \$300 Battery Pack, alkaline, 18V, 36D, ADP/ADV</p> 
<p>ADP AK3 \$20 Zinc Anode standard aluminum ADP systems (requires 5 per system for 250/500 kHz ADP, 4 per system for 250/500 kHz SL-ADP, 2 per system for 1.0 MHz ADP)</p> 	<p>ADP 6053-00045 \$120 Tool kit for Standard ADP</p> 	<p>ADP 6053-00046 \$150 Tool kit for Standard ADP (PP)</p> 
<p>ADP 6053-00087 \$120 Tool kit for ADP/ADV fiberwound plastic electronics/battery housing</p> 	<p>Argonaut-ADV SPARE PARTS</p> 	<p>Argonaut-ADV 19-0022 \$75 Power supply, 15VDC, 40W</p> 
<p>Argonaut-ADV 2885-00103 \$10 Power cord (U.S.)</p> 	<p>Argonaut-ADV 2885-00125 \$35 Power cord kit (International)</p> 	<p>Argonaut-ADV 36-0008-010 \$830 10-m power and RS232/SDI12 communications cable, compact 8-pin male wet pluggable to 9-pin D-sub, 8-conductor</p> 

<p>Argonaut-ADV</p> <p>36-0008-040</p> <p>\$1,135</p> <p>40-m power and RS232/SDI12 communications cable, compact 8-pin male wet pluggable to 9-pin D-sub, 8-conductor</p> 	<p>Argonaut-ADV</p> <p>36-0052-001</p> <p>\$1,000</p> <p>1-m Splitter cable for SL/SW/Triton to external battery housing</p> 	<p>Argonaut-ADV</p> <p>6048-08140</p> <p>\$110</p> <p>Connector, compact 8-pin male wet-pluggable dummy plug (MCDC-8-MP)</p> 
<p>Argonaut-ADV</p> <p>6048-95010</p> <p>\$20</p> <p>Locking Sleeve for compact wet-pluggable connector, female</p> 	<p>Argonaut-ADV</p> <p>6052-00050</p> <p>\$135</p> <p>Battery Pack, alkaline, 10.5V, 21C, Triton/Argonaut-ADV</p> 	<p>Argonaut-ADV</p> <p>AK2</p> <p>\$85</p> <p>Zinc anode with hardware, ADV with 1/2 inch stem (10 MHz ADV/Triton/Argonaut-ADV)</p> 
<p>Argonaut-ADV</p> <p>6053-00175</p> <p>\$80</p> <p>Tool kit for Argonaut-ADV/Triton-ADV</p> 	<p>Argonaut-XR</p> <p>SPARE PARTS</p> 	<p>Argonaut-XR</p> <p>19-0022</p> <p>\$75</p> <p>Power supply, 15VDC, 40W</p> 
<p>Argonaut-XR</p> <p>2885-00103</p> <p>\$10</p> <p>Power cord (U.S.)</p> 	<p>Argonaut-XR</p> <p>2885-00125</p> <p>\$35</p> <p>Power cord kit (International)</p> 	<p>Argonaut-XR</p> <p>36-0015-010</p> <p>\$1,065</p> <p>10-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor</p> 









<p>Argonaut-XR 36-0015-040 \$1,930</p> <p>40-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor</p> 	<p>Argonaut-XR 36-0015-070 \$2,680</p> <p>70-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor</p> 	<p>Argonaut-XR 36-0015-100 \$3,430</p> <p>100-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor</p> 
<p>Argonaut-XR 36-0053-001 \$1,185</p> <p>1-m Splitter cable for Argonaut-XR with external battery housing</p> 	<p>Argonaut-XR 6048-08100 \$130</p> <p>Connector, 8-pin male wet pluggable dummy plug (DC-8-MP)</p> 	<p>Argonaut-XR 6048-95000 \$30</p> <p>Locking Sleeve for standard wet-pluggable connectors, male</p> 
<p>Argonaut-XR 6052-00051 \$205</p> <p>Battery Pack, alkaline, 12V, 24D, XR/SL/Triton</p> 	<p>Argonaut-XR 6053-00067 \$80</p> <p>Toolkit for XR</p> 	<p>Argonaut-XR 6053-00068 \$250</p> <p>Tool kit for XR with external battery case</p> 
<p>Argonaut-XR 7371-00125 \$60</p> <p>Mounting plate, Argonaut-XR and old-style Argonaut-SL, without battery</p> 	<p>Argonaut-XR 7371-00126 \$125</p> <p>Mounting plate for Argonaut-XR with external battery housing</p> 	<p>CastAway - CTD SPARE PARTS</p>  




<p>CastAway-CTD</p> <p>28-0096</p> <p>\$80</p> <p>Stylus Kit. Includes stylus and lanyard</p> 	<p>CastAway-CTD</p> <p>28-0097</p> <p>\$170</p> <p>Jacket Kit. Includes CastAway-CTD jacket and (1) caribiner</p> 	<p>CastAway-CTD</p> <p>28-0098</p> <p>\$9</p> <p>Maintenance Pack. Includes cleaning brush, lubricant, o-ring</p> 
<p>CastAway-CTD</p> <p>40-0011</p> <p>\$70</p> <p>Bluetooth adapter, USB</p> 	<p>CastAway-CTD</p> <p>400309</p> <p>\$200</p> <p>CastAway-CTD plastic shipping case</p> 	<p>CastAway-CTD</p> <p>400312</p> <p>\$10</p> <p>Caribiner</p> 
<p>FLOWTRACKER 2</p> <p>SPARE PARTS</p> 	<p>FlowTracker 2</p> <p>FT2-MR</p> <p>\$1,625</p> <p>2-piece top-setting wading rod, 1.2-m, metric increments in cm; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic shipping case</p> 	<p>FlowTracker 2</p> <p>FT2-ER</p> <p>\$1,625</p> <p>2-piece top-setting wading rod, 4-ft, English increments in tenths of ft; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic case</p> 
<p>FlowTracker 2</p> <p>24-0324</p> <p>\$195</p> <p>Wading rod offset mounting bracket for FlowTracker ADV Sensor, for hex-shaped wading rod</p> 	<p>FlowTracker 2</p> <p>24-0066</p> <p>\$190</p> <p>Wading rod mounting bracket for FlowTracker ADV sensor, for SonTek round wading rod</p> 	<p>FlowTracker 2</p> <p>28-0148</p> <p>\$220</p> <p>Wading rod offset mounting bracket for FlowTracker ADV sensor, for 20-mm universal wading rod</p> 






<p>FlowTracker 2</p> <p>24-0314</p> <p>\$700</p> <p>Plastic shipping case only, FlowTracker2 with 1.2-m/4-ft wading rod</p> 	<p>FlowTracker 2</p> <p>24-0313</p> <p>\$450</p> <p>Plastic shipping case, FlowTracker2</p> 	<p>FlowTracker 2</p> <p>28-0137</p> <p>\$70</p> <p>Battery holder, 8 AA cells (for Handheld Display Unit)</p> 
<p>FlowTracker 2</p> <p>28-0146</p> <p>\$200</p> <p>Wading rod mounting clamp, FlowTracker2 Handheld Display unit</p> 		<p>FlowTracker 2</p> <p>28-0149</p> <p>\$185</p> <p>20-mm universal wading rod adapter for the FlowTracker2 Handheld Display unit wading rod mounting clamp (P/N 28-0146)</p> 
<p>FlowTracker 2</p> <p>31-0033</p> <p>\$30</p> <p>Cable, USB to MicroUSB, 6-ft</p> 	<p>FlowTracker 2</p> <p>36-0039-001</p> <p>\$715</p> <p>1.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable</p> 	<p>FlowTracker 2</p> <p>36-0039-003</p> <p>\$750</p> <p>3.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable</p> 
<p>FlowTracker 2</p> <p>36-0039-008</p> <p>\$875</p> <p>8.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable</p> 	<p>FlowTracker 2</p> <p>36-0049</p> <p>\$1,325</p> <p>Splitter cable, for connecting FlowTracker2 probe assembly to computer and power supply</p> 	<p>S5/M9/PCM2</p> <p>SPARE PARTS</p> 














<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0147 \$1,250 DGPS / RTK GPS antenna</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0673 \$15 2.4-GHz antenna (2 dBi)</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0696 \$130 Battery charger, 16 position, for AA NiMH batteries</p> 
<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0697 \$125 Rechargeable NiMH AA batteries, package of (16)</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>19-0011 \$175 Power Supply, 18VDC</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>19-0017 \$325 2.4 GHz USB radio</p> 
<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>20-0235 \$10 Right angle adapter, TNC male to TNC female</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>20-0236 \$10 Adapter, SMA female to TNC male</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>24-0032 \$110 RiverSurveyor S5/M9 GPS antenna support rod mounting bracket</p> 
<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>28-0177-01 \$50 PCM battery slot endcap, Square Battery Holder</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>28-0177-02 \$50 PCM battery slot endcap, Round Battery Holder</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>24-0246 \$110 Radio antenna mounting bracket for use with GPS antenna support rod</p> 

River/HydroSurveyor S5/M9 & PCM 24-0247 \$50 Tripod spacer for GPS antenna support rod 	River/HydroSurveyor S5/M9 & PCM 28-0110 \$205 Battery holder, 8 AA cells, Round Battery holder slot. 	River/HydroSurveyor S5/M9 & PCM 28-0137 \$70 Battery holder, 8 AA cells Square battery holder slot 
River/HydroSurveyor S5/M9 & PCM 31-0020-02 \$70 Radio antenna extension cable, 2-ft 	River/HydroSurveyor S5/M9 & PCM 31-0020-10 \$90 Radio antenna extension cable, 10-ft 	River/HydroSurveyor S5/M9 & PCM 31-0021-02 \$70 GPS antenna cable, 2-ft. 
River/HydroSurveyor S5/M9 & PCM 31-0021-10 \$80 GPS antenna cable, 10-ft. 	River/HydroSurveyor S5/M9 & PCM 36-0000-001 \$620 1-m power & RS232 serial communications cable, compact 8-pin female to compact 8-pin male wet-pluggable 	River/HydroSurveyor S5/M9 & PCM 36-0000-010 \$620 10-m power & RS232 serial communications cable, compact 8-pin female to compact 8-pin male wet- pluggable 
River/HydroSurveyor S5/M9 & PCM 36-0001-010 \$700 10-m power & RS232 serial communications cable, compact 8-pin male wet-pluggable to 9- pin D-sub 	River/HydroSurveyor S5/M9 & PCM 36-0001-030 \$1,010 30-m power & RS232 serial communications cable, compact 8-pin male wet-pluggable to 9- pin D-sub 	River/HydroSurveyor S5/M9 & PCM 40-0005 \$10 Power cord (U.S.) 

<p>River/HydroSurveyor S5/M9 & PCM</p> <p>40-0008 \$60 Power cord kit, (International)</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>6045-00800 \$65 GPS Antenna Support Rod</p> 	<p>SL1500-3G / SL3000-3G</p> 
<p>SL1500-3G/SL3000-3G</p> <p>19-0012 \$105 Cable Adaptor. Connects the instrument to power, SDI-12, Modbus, allows interface to laptop PC.</p> 	<p>SL1500-3G/SL3000-3G</p> <p>19-0013 \$70 Power Supply. Input 100/240VAC, output 12 VDC</p> 	<p>SL1500-3G/SL3000-3G</p> <p>24-0273 \$85 Mounting plate, SonTek-SL1500-3G/3000-3G</p> 
<p>SL1500-3G/SL3000-3G</p> <p>28-0106 \$105 Dummy Plug Kit, (1) 5-pin male dry-pluggable connector and (1) 5-pin female dry-pluggable connector</p> 	<p>SL1500-3G/SL3000-3G</p> <p>28-0128 \$160 Tool Kit, SL1500-3G</p> 	<p>SL1500-3G/SL3000-3G</p> <p>31-0015 \$25 Battery hook-up cable, 5ft (1.5m)</p> 
<p>SL1500-3G/SL3000-3G</p> <p>36-0040-010 \$340 10-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SL1500-3G/SL3000-3G</p> <p>36-0040-020 \$450 20-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SL1500-3G/SL3000-3G</p> <p>36-0040-040 \$720 40-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 

<p>SL1500-3G/SL3000-3G</p> <p>36-0040-060</p> <p>\$975</p> <p>60-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SL1500-3G/SL3000-3G</p> <p>36-0040-100</p> <p>\$1,475</p> <p>100-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SL1500-3G/SL3000-3G</p> <p>36-0043</p> <p>\$1,050</p> <p>1-m Splitter cable for SonTek-SL1500-3G/3000-3G to external battery housing</p> 
<p>SL500</p> <p>SPARE PARTS</p> 	<p>SL500</p> <p>19-0022</p> <p>\$75</p> <p>Power supply, 15VDC, 40W</p> 	<p>SL500</p> <p>2885-00103</p> <p>\$10</p> <p>Power cord (U.S.)</p> 
<p>SL500</p> <p>2885-00125</p> <p>\$35</p> <p>Power cord kit (International)</p> 	<p>SL500</p> <p>36-0003-010</p> <p>\$815</p> <p>10-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 	<p>SL500</p> <p>36-0003-040</p> <p>\$1,300</p> <p>40-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 
<p>SL500</p> <p>36-0003-070</p> <p>\$1,850</p> <p>70-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 	<p>SL500</p> <p>36-0003-100</p> <p>\$2,350</p> <p>100-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 	<p>SL500</p> <p>36-0009-001</p> <p>\$1,025</p> <p>1-m Splitter cable for SL/SW/Triton to external battery housing</p> 

SL500 6048-08140 \$110 Connector, compact 8-pin male wet-pluggable dummy plug (MCDC-8-MP) 	SL500 6048-95010 \$20 Locking Sleeve for compact wet-pluggable connector, female 	SL500 6052-00051 \$205 Battery Pack, alkaline, 12V, 24D, XR/SL/Triton 
SL500 7371-00151 \$130 Mounting plate for SL500 (without external battery housing) 	SL500 7371-00152 \$130 Mounting plate for SL500 and external battery housing 	<div> SonTek IQ SPARE PARTS  </div>
SonTek-IQ 19-0012 \$105 Cable Adaptor. Connects the instrument to power, SDI-12, Modbus, allows interface to laptop PC. 	SonTek-IQ 19-0013 \$70 Power Supply. Input 100/240VAC, output 12 VDC 	SonTek-IQ 28-0091 \$75 SonTek IQ Spare Parts Kit. Mounting brackets, 8 mounting bracket screws, two 5-pin and two 3-pin connectors for the SonTek-IQ cable adaptor. 
SonTek-IQ 28-0093 \$115 Tool Kit, SonTek-IQ systems 	SonTek-IQ 28-0106 \$105 Dummy Plug Kit, (1) 5-pin male dry-pluggable connector and (1) 5-pin female dry-pluggable connector 	SonTek-IQ 31-0015 \$25 Battery hook-up cable, 5ft (1.5m) 

<p>SonTek-IQ</p> <p>36-0040-010</p> <p>\$340</p> <p>10-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SonTek-IQ</p> <p>36-0040-020</p> <p>\$450</p> <p>20-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SonTek-IQ</p> <p>36-0040-040</p> <p>\$720</p> <p>40-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 
<p>SonTek-IQ</p> <p>36-0040-060</p> <p>\$975</p> <p>60-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SonTek-IQ</p> <p>36-0040-100</p> <p>\$1,475</p> <p>100-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>RS5</p> <p>SPARE PARTS</p>  
<p>RS5</p> <p>RS5-BATT</p> <p>\$50</p> <p>Rechargeable Li-Ion Batteries, 3.7VDC 9.6WH, quantity of (2)</p> 	<p>RS5</p> <p>19-0031</p> <p>\$245</p> <p>Bluetooth USB radio, RS5</p> 	<p>RS5</p> <p>19-0033</p> <p>\$30</p> <p>Power supply for Li-Ion battery charger</p> 
<p>RS5</p> <p>31-0043</p> <p>\$30</p> <p>Radio antenna extension cable, 2-ft (61-cm)</p> 	<p>RS5</p> <p>31-0045</p> <p>\$45</p> <p>Radio antenna extension cable, 3-ft (90-cm)</p> 	<p>RS5</p> <p>31-0048-01</p> <p>\$385</p> <p>GNSS antenna interface cable, 1-ft (30-cm)</p> 

RS5	RS5	RS5
31-0048-02 \$385	40-0015 \$40	70-0054 \$30
GNSS antenna interface cable, 3-ft (90-cm)	Battery charger for Li-Ion battery packs	2.4-GHz antenna (2 dBi)
		